




# TUF GAMING GT302

# ARGB




## AIRFLOW MASTERY




### MAXIMIZED AIRFLOW

Four 140 x 28mm ARGB fans for exceptional airflow




### DETACHABLE TOP PANEL

Easy and faster 360 mm AIO cooler installation and cabling



### INTERCHANGEABLE SIDE PANEL

Mesh or Tempered glass your choice



### HIDDEN-CONNECTOR MOTHERBOARD SUPPORT




TUF GAMING


# KSP SUMMARY

## NATIVE COOLING

### FRONT SQUARE MESH DESIGN



### HIGH POROSITY FOR COOLING



### PRE-BUILT 4 140\*28MM ARGB FANS



### INTERCHANGEABLE SIDE PANELS




\* The exceptional ARGB fans are exclusive to the ARGB edition


# KSP SUMMARY

## COMPATIBILITY


**SUPPORT 360MM AIO COOLER  
ON THE TOP**




**SUPPORT 407MM LONG  
GRAPHICS CARD IN HORIZONTAL MOUNT**




**SUPPORT 125MM THICK GRAPHICS CARD  
IN VERTICAL MOUNT**



**SUPPORT ATX BTF MOTHERBOARD  
(HIDDEN CONNECTOR)**



**SUPPORTABILITY  
TO E-ATX EXTENT (SSI-CEB)**







# KSP SUMMARY

## EASY DIY & FUNCTIONALITY


TOOL-FREE SIDE PANELS




REMOVABLE TOP PANEL




DUAL WAY IN CABLE MANAGEMENT




SUFFICIENT CABLING SPACE




2-IN-1 HARD DRIVE BRACKET



UNIFIED FRONT I/O HEADER




TUF GAMING STYLE  
FRONT FILTER



HIGH SPEED TYPE-C  
CONNECTIVITY



INDUSTRY-LEADING WHITE  
MODULAR CABLE



\*The white modular cables are exclusive to the white edition



TUF GAMING

# SPECIFICATION

|                           |                                                     |
|---------------------------|-----------------------------------------------------|
| Motherboard Compatibility | E-ATX (up to 12" x 10.9"), ATX, Micro-ATX, Mini-ITX |
| Dimensions                | 235*520*485 mm (W*H*D)                              |
| Materials                 | Steel, Tempered Glass, ABS Plastic                  |
| I/O Ports                 | 2 x USB 3.2 Gen1                                    |
|                           | 1 x USB 3.2 Gen 2x2 (Type-C)                        |
|                           | 1 x Headphone + Microphone                          |
| 3.5"/2.5" Drive Bays      | 2                                                   |
| 2.5" Drive Bays           | 2                                                   |
| Expansion Slots           | 8                                                   |
| Vertical Expansion Slots  | 3                                                   |
| Maximum GPU Length        | 407mm                                               |
| Maximum CPU Cooler Height | 165mm                                               |
| Maximum PSU Length        | 220mm                                               |
| Radiator Compatibility    | Front: 140/280 mm                                   |
|                           | Top: 120/140/240/280/360 mm                         |
|                           | Rear: 120/140 mm                                    |
| Cooling Support           | Front: 3 x 140 mm                                   |
|                           | Top: 3 x 140 mm/3x120mm                             |
|                           | Rear: 1 x 140 mm/1x 120 mm                          |
| Pre-installed Fans        | Front: 3 x 140 mm ARGB PWM Fan                      |
|                           | Rear: 1 x 140 mm ARGB PWM Fan                       |
| Removable Dust Filters    | Front/Top/Bottom                                    |
| Cable Routing             | 37 mm                                               |

\* Product specification might vary by country or region